

ATTORNEY DOCKET NO.: FREE.P-003

Applicant::

Bannigan et al.

Serial No.:

10/005,452

Confirmation No.:

9512

Title:

pH Probe

PETITITION TO CORRECT FILING DATE AND REQUEST TO CORRECT FILING RECEIPT

Hon. Commissioner of Patents and Trademarks Washington, DC 20231

Copy of papers ORIGINALLY FILED

Sir:

Applicants respectfully request that the Filing Date for the above-referenced US application be corrected to reflect the date the application was filed, November 2, 2001. Attached is a copy of the Express Mail Receipt and a Post Office Receipt both of which indicate the application was mailed by Express Mail on November 2, 2001.

Also, applicants request the first name in the Applicant(s) field be changed to reflect John Thornton Bannigan. A marked-up copy of the updated filing receipt is enclosed.

Respectfully,

OPPEDAHL & LARSON LLP

nauna I du

Marina T. Larson, PhD, PTO Reg. No. 32,038


P.O. Box 5068

Dillon, CO 80435-5068 Tel: (970) 468-6600

(970) 468-0104 Fax:

CERTIFICATE OF MAILING under 37 CFR § 1.8(a)

I hereby certify that this paper and its attachments mentioned herein, are being deposited with the United States Postal Service as first class mail in an envelope addressed to: Office of Initial Patent Examination's Customer Service, Washington, DC 20231 on 4-11-62	
<u>-</u>	
4-11-62	Tori South





Trans 127

Store USPS Wkstn sys5002 Cashier's Name Stock Unit Id Cashier KM6HY7 kathryn WINKATHYP PO Phone Number 800-275-8777

1. Exp. Mail PO-ADD 0.00 Destination: 20231 Weight: 8.90oz Postage Type: None Total Cost: Base Rate: 16.25 16.25 EL556130141US


Label#: Corporate Acct.: 096794 Amount Charged: 16.25

Subtotal Total

0.00 0.00

Number of Items Sold: 1

Thank You Please come again! COPY OF PAPERS ORIGINALLY FILED



COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231

APPLICATION NUMBER FILING DATE www.uspto.gov GRP ART UNIT FIL FEE REC'D ATTY.DOCKET.NO DRAWINGS IND CLAIMS 10/005,452 FREE. P-1741 525 10 30 003 2

021121 OPPEDAHL AND LARSON LLP P O BOX 5068 DILLON, CO 80435-5068

CONFIRMATION NO. 9512
UPDATED FILING RECEIPT

OC0000000007770381*

Date Mailed: 04/03/2002

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, Check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

John Thomton Bannigan Sonn Jacoba Bannigan, Mawson Lales, AUSTRALIA; Malcolm Rosswyn Haskard, Mawson Lales, AUSTRALIA; Dennis Estcourt Mulcahy, Mawson Lales, AUSTRALIA;

Domestic Priority data as claimed by applicant

THIS APPLICATION IS A CIP OF PCT/AU00/00399 05/04/2000

Foreign Applications

AUSTRALIA PQ0152 05/04/1999

COPY OF PAPERS ORIGINALLY FILED

If Required, Foreign Filing License Granted 12/31/2001

Projected Publication Date: 07/11/2002

Non-Publication Request: No

Early Publication Request: No

** SMALL ENTITY **

. Title

pH probe

COPY

Preliminary Class